


PNEUMATIC ACCESSORIES





COMPRESSORS AND PNEUMATIC CONTROLS

A source of compressed air is necessary in order to extend any of our pneumatic telescopic mast. Fireco offers a range of medium and small sized compressors which, thanks to their compactness and functionality, are an optimal solution.

They are available with different performances and voltages (12V, 24V and 230V) and can be equipped with remote controls for extending and retracting the mast.

Furthermore, different models of pneumatic control boards are available. They will allow you to control the air flow provided by the brake system of the vehicle on which the mast is mounted.

The pneumatic control boards can also be used with compressed air cylinders or with compressors without pressure switch.

COMPRESSORS



AI.32011

230V

AI.32005

Coaxial oil-less air compressor 230V 180 lt/1' – max. pressure 8 bar – weight 5 kg.
 Dim. L 400 x H 230 x W 370 mm

AI.32011

Coaxial air compressor lubricated, single phase 230V – 5,0 A – 1,1 kW – 185 lt/1' – max pressure 8 bar – weight 14 kg dB – A 80 with 6 lt tank
 Dim. L 320 x H 440 x W 260 mm

AI.32011.RC

Coaxial lubricated air compressor , single phase 230V – 5,0 A – 1,1 kW – 185 lt/1' – max pressure 8 bar – weight 14 kg dB – A 80 – with 6 lt tank and remote control
 Dim. L 320 x H 440 x W 260 mm

AI.32091

Air compressor 230V – 50 lt/1' – STPV - weight 3,5 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32092

Air compressor 230V – 50 lt/1' – STPV/AB – with remote control and pressure switch - weight 5 kg
 Dim. L 230 x H 170 x W 135 mm



AI.32141

12/24V

AI.32121

Air compressor ST 12V – 50 lt/1' – 13,5 A - weight 3,5 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32122

Air compressor ST 24V – 50 lt/1' – 7 A - weight 3,5 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32131

Air compressor STPV 12V – 50 lt/1' – 13,5 A with pressure switch and non return valve - weight 4 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32132

Air compressor STPV 24V – 50 lt/1' – 7 A – with pressure switch and non return valve - weight 4 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32141

Air compressor STPV-AB 12V – 50 lt/1' – 13,5 A with remote control - weight 5 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32142

Air compressor STPV-AB 24V – 50 lt/1' – 7 A with remote control - weight 5 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32141.M

Air compressor STPV-AB 12V – 50 lt/1' – 13,5 A with remote control and spring - weight 5 kg
 Dim. L 230 x H 170 x W 135 mm

AI.32142.M

Air compressor STPV-AB 24V – 50 lt/1' – 7 A with remote control and spring - weight 5 kg
 Dim. L 230 x H 170 x W 135 mm



COMPRESSORS

STREAM



AI.32180

Air compressor Stream 230V - 450 W - weight 8.5 Kg 145 lt/1'
Dim. L 326 X H 289 x W 164 mm

AI.32180_24

Air compressor Stream 24V - 450 W - weight 8.5 Kg 145 lt/1'
Dim. L 326 X H 289 x W 164 mm

AI.32180_12

Air compressor 12V - 450 W - weight 8.5 Kg 145 lt/1'
Dim. L 326 X H 289 x W 164 mm

AI.32178/_12/_24

STPV-AB with pressure switch, non return valve and remote control - weight 8.5 Kg 145 lt/1'
Dim. L 326 X H 289 x W 164 mm

AIR COMPRESSOR FOR MULTIFUNCTION SYSTEM

AI.32921

Air compressor 12V 50 lt/1' for multifunctional system
Dim. L 230 x H 170 x W 135 mm

AI.32801

Air compressor 230V - 179 lt/1' - only for multifunctional system
Dim. L 310 x H 325 x W 205 mm

AI.32922

Air compressor 24V 50 lt/1' for multifunctional system
Dim. L 230 x H 170 x W 135 mm

AIR COMPRESSOR FOR ROOF MASTS

AI.3245

Built-in air compressor for Roof mast - 12V

AI.32246

Built-in air compressor for Roof mast - 24V

PNEUMATIC CONTROL BOARD

The pneumatic control board is designed for the mast extension and retraction and is required when you use the air from the vehicle's air system, a compressed air cylinder or a compressor without pressure control.



PC.33211

Pneumatic control block with pressure regulator

PC.33212

Pneumatic control block with pressure regulator and spring

PC.33213

Pneumatic control block with pressure regulator and spring only for extension

PC.33221

Pneumatic control block pressure regulator and dry filter

PC.33222

Pneumatic control block with pressure regulator, dry filter and spring

PC.33223

Pneumatic control block with dry filter and spring for extension only



Credits

Copyright 2023- FIRECO - All rights reserved

ITALIAN HEADQUARTERS

Fireco S.r.l.

Via E.Fermi, 56
25064 GUSSAGO (BS) - ITALY
Tel.:+39 030 3733916
Fax:+39 030 3733762
info@fireco.eu
www.fireco.eu

FIRECO.EU



BELGIUM

Fireco Systems N.V.

Diestersteenweg, 142
3510 KERMT (HASSELT) - BELGIUM
Tel.:+32 11851602
Fax:+32 11851604
info@fireco.be
www.fireco.be

FRANCE

Euromast S.a.r.l.

101 Rue Louis Armand
73420 MERY - FRANCE
Tel.:+33 479349215
Fax:+33 479349216
fireco@euromast.fr
www.euromast.fr

SPAIN

Hispamast S.L.

C/Estaño, 30
28510 CAMPO REAL (MADRID) - SPAIN
Tel.:+34 918733733
Fax:+34 918765141
info@hispamast.com
www.hispamast.com

USA

Fireco US

1740 N Gateway Blvd
FRESNO, CA 93727 - USA
Tel.: +1 559 353-2823
Fax.: +1 559 255-7012
info@firecousa.com
www.firecousa.com

MALAYSIA

Fireco Asia Sdn Bhd

9, Jalan TP 3/2, Taman Perindustrian UEP
47620 SUBANG JAYA - MALAYSIA
Tel.:+603 8011 2300
Fax:+603 8081 2367
gc@fireco-asia.com
www.fireco-asia.com

AUSTRALIA

EVTA Group PTY LTD

12 Meek Street,
NEW GISBORNE, VICTORIA, 3438 - AUSTRALIA
Tel.:+61 354207444
Fax:+61 354207834
info@evtagroup.com.au
www.evtagroup.com.au

MOROCCO

Euro -Fireco

Résidence les jardins Al Noamane
Rue Izdihar, Bouskoura,
Casablanca - MOROCCO
Tel.:+212 5220-66343
info@euro-fireco.com
www.euro-fireco.com